



# GIARA EXTERIEUR


GIARA EX Q 22







## GIARA EX Q 22


|   |       |         |          |         |     |        |
|---|-------|---------|----------|---------|-----|--------|
|  | 23534 | St./ Pc | Po12/R12 | 55X55mm | RUB | 277,77 |
|   | 23535 | St./ Pc | Po12/R12 | 55X55mm | RUW | 277,77 |
|   | 7661  | St./ Pc | Po12/R12 | 55X55mm | WB  | 288,01 |
|   | 9022  | St./ Pc | Po12/R12 | 55X55mm | AS  | 288,01 |
|   | 9023  | St./ Pc | Po12/R12 | 55X55mm | AI  | 288,01 |
|   | 9024  | St./ Pc | Po12/R12 | 55X55mm | NB  | 288,01 |
|   | 8111  | St./ Pc | Po12/R12 | 55X55mm | AZ  | 288,01 |
|   | 9025  | St./ Pc | Po12/R12 | 55X55mm | VI  | 288,01 |
|   | 11266 | St./ Pc | Po12/R12 | 55X55mm | BLK | 316,84 |
|   | 13133 | St./ Pc | Po12/R12 | 55X55mm | OPW | 316,84 |
|   | 1     | 55x55mm |          |         |     |        |
| Vast op rozet: op aanvraag   Fixed on rose: on demand                             |       |         |          |         |     |        |

|  |       |         |        |      |     |       |
|--|-------|---------|--------|------|-----|-------|
|  | 24706 | St./ Pc | BS-R12 | 55mm | RUB | 83,40 |
|  | 24707 | St./ Pc | BS-R12 | 55mm | RUW | 83,40 |
|  | 6626  | St./ Pc | BS-R12 | 55mm | WB  | 87,80 |
|  | 11361 | St./ Pc | BS-R12 | 55mm | AS  | 87,80 |
|  | 11362 | St./ Pc | BS-R12 | 55mm | AI  | 87,80 |
|  | 11363 | St./ Pc | BS-R12 | 55mm | NB  | 87,80 |
|  | 10307 | St./ Pc | BS-R12 | 55mm | AZ  | 87,80 |
|  | 11364 | St./ Pc | BS-R12 | 55mm | VI  | 87,80 |
|  | 13160 | St./ Pc | BS-R12 | 55mm | BLK | 96,58 |
|  | 13161 | St./ Pc | BS-R12 | 55mm | OPW | 96,58 |
|  | 2     |         |        |      |     |       |

|   |       |     |     |     |     |        |
|---|-------|-----|-----|-----|-----|--------|
|  | 24700 | SET | BSY | R12 | RUB | 252,47 |
|   | 24701 | SET | BSY | R12 | RUW | 252,47 |
|   | 15480 | SET | BSY | R12 | WB  | 262,80 |
|   | 15481 | SET | BSY | R12 | AS  | 262,80 |
|   | 15482 | SET | BSY | R12 | AI  | 262,80 |
|   | 15483 | SET | BSY | R12 | NB  | 262,80 |
|   | 15484 | SET | BSY | R12 | AZ  | 262,80 |
|   | 15485 | SET | BSY | R12 | VI  | 262,80 |
|   | 15486 | SET | BSY | R12 | BLK | 287,87 |
|   | 15487 | SET | BSY | R12 | OPW | 287,87 |
|   | 3     |     |     |     |     |        |

|  |       |         |        |       |     |        |
|--|-------|---------|--------|-------|-----|--------|
|   | 23734 | St./ Pc | MILANO | 215mm | RUB | 328,74 |
|  | 23735 | St./ Pc | MILANO | 215mm | RUW | 328,74 |
|  | 13506 | St./ Pc | MILANO | 215mm | WB  | 374,86 |
|  | 13507 | St./ Pc | MILANO | 215mm | AS  | 374,86 |
|  | 13508 | St./ Pc | MILANO | 215mm | AI  | 374,86 |
|  | 13402 | St./ Pc | MILANO | 215mm | NB  | 374,86 |
|  | 13504 | St./ Pc | MILANO | 215mm | AZ  | 374,86 |
|  | 13505 | St./ Pc | MILANO | 215mm | VI  | 374,86 |
|  | 13510 | St./ Pc | MILANO | 215mm | BLK | 412,35 |
|  | 13509 | St./ Pc | MILANO | 215mm | OPW | 412,35 |
|  | 4     | 215mm   |        |       |     |        |
| Kan ook paarsgewijs bevestigd worden   Possible d'attacher par paire<br>Kann auch paarweise befestigt werden   Also possible back to back<br><b>Glasbevestiging mogelijk zonder rozet   Fixation sur verre possible sans rosace   Befestigung auf Glas möglich, aber ohne Rosetten   Glassifixation possible without roses</b> |       |         |        |       |     |        |

## GIARA EX Q 22

|   |   |         |      |       |     |        |
|---|---|---------|------|-------|-----|--------|
|  | 23728   | St./ Pc | MT12 | 260mm | RUB | 426,35 |
|   | 23729   | St./ Pc | MT12 | 260mm | RUV | 426,35 |
|   | 6443  | St./ Pc | MT12 | 260mm | WB  | 442,02 |
|   | 9014  | St./ Pc | MT12 | 260mm | AS  | 442,02 |
|   | 7155  | St./ Pc | MT12 | 260mm | AI  | 442,02 |
|   | 6445  | St./ Pc | MT12 | 260mm | NB  | 442,02 |
|   | 8468  | St./ Pc | MT12 | 260mm | AZ  | 442,02 |
|   | 6444  | St./ Pc | MT12 | 260mm | VI  | 442,02 |
|   | 11263   | St./ Pc | MT12 | 260mm | BLK | 486,23 |
|   | 13130   | St./ Pc | MT12 | 260mm | OPW | 486,23 |
| 5   | Kan ook paarsgewijs bevestigd worden   Possible d'attacher par paire<br>Kann auch paarweise befestigt werden   Also possible back to back<br><b>Glasbevestiging mogelijk zonder rozet   Fixation sur verre possible sans rosace   Befestigung auf Glas möglich, aber ohne Rosetten   Glassfixation possible without roses</b> |         |      |       |     |        |
| 260mm   |   |         |      |       |     |        |